BYLAW

Approved by FITA Council on 29 November 2008 Effective as of 1 April 2009

Book 3, Article 8.2.2.1.3

8.2.2.1.3 Set-up of four (4), three (3) and two (2) 40 cm vertical triple faces: When using three (3) or four (4) vertical triple 40 cm faces, the centres of the middle faces will be 130 cm above the floor. The tolerance of measurement must not exceed +/- 2 cm.

With four (4) vertical triple faces, there will be a space of at least 10 cm between the scoring zones of the second and third column, and a maximum distance of 5 cm between the scoring zones of columns 1 and 2, and columns 3 and 4.

With three vertical triple faces, there will be a space of minimum 10 cm between the scoring areas of each column.


With two vertical triple faces (individual and team event), there will be a space of minimum 25 cm between the scoring areas of each column. With one vertical triple face set-up horizontally (team shoot-off), the center of the vertical triple face will be 130cm above the floor. The tolerance of measurement must not exceed +/- 2 cm.

April 1st, 2009 BYLAW

Book 3, Appendix 1


3. INDOOR - VERTICAL TRIPLE FACES

Article 8.2.2.1.3



April 1st, 2009

4. INDOOR - VERTICAL TRIPLE FACES – INDIVIDUAL AND TEAM EVENT Article 8.2.2.1.3




5. INDOOR - VERTICAL TRIPLE FACES - TEAM EVENT (shoot-off)

Article 8.2.2.1.3 horizontal set-up

April 1st, 2009

BOOKS 1-5FITA CONSTITUTION AND RULES



April 1st, 2009